


Oil Pattern Distance	<b>38</b>	Reverse Brush Drop	<b>35</b>	Oil Per Board	<b>50 ul</b>
Forward Oil Total	<b>30.8 mL</b>	Reverse Oil Total	<b>0 mL</b>	Volume Oil Total	<b>30.8 mL</b>
Tank Configuration	<b>A Only</b>	Tank A Conditioner	<b>Fire</b>	Tank B Conditioner	<b>Ice</b>

	START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	4	10	3	A	148	0.0	4.2	4.2	7400
2	5L	5R	3	10	3	A	93	4.2	8.4	4.2	4650
3	8L	8R	2	10	3	A	50	8.4	11.2	2.8	2500
4	11L	11R	2	10	3	A	38	11.2	14.0	2.8	1900
5	14L	14R	2	10	3	A	26	14.0	16.8	2.8	1300
6	11L	11R	2	10	3	A	38	16.8	19.6	2.8	1900
7	8L	8R	2	10	3	A	50	19.6	22.4	2.8	2500
8	5L	5R	2	10	3	A	62	22.4	25.2	2.8	3100
9	2L	2R	3	10	3	A	111	25.2	29.4	4.2	5550
10	2L	2R	0	10	3	A	0	29.4	38.0	8.6	0

	START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	3	A	0	38.0	34.0	-4.0	0
2	2L	2R	0	26	3	A	0	34.0	28.0	-6.0	0
3	2L	2R	0	22	3	A	0	28.0	22.0	-6.0	0
4	2L	2R	0	18	3	A	0	22.0	16.0	-6.0	0
5	2L	2R	0	14	3	A	0	16.0	8.0	-8.0	0
6	2L	2R	0	10	3	A	0	8.0	0.0	-8.0	0



Cleaner Ratio Main Mix                      NA              Forward  
 Cleaner Ratio Back End Mix                NA              Reverse  
 Cleaner Ratio Back End Distance         NA              Combined  
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	2.2	1.25	1.02	1.02	1.25	2.2

